

FREEDOM[®]

SITE PREPARATION TOOLS

THE GROUND CREW
PROFESSIONALS THAT
ADD TO PROFITABILITY



Freedom[®] site and landscape tools from Town & Country, Ltd.[®] are ideal for seedbed preparation for grass seeding, laying sod or other ground maintenance tasks around commercial buildings, office centers, golf courses, athletic fields, small farms, homes, parks and greenbelt areas. They're equally well-suited for new construction or renovation.

Utilizing the complete line of Freedom site and landscape preparation tools means hand labor is virtual-

ly eliminated. You get more done in less time, and that's added profit potential.

All Freedom site and landscape preparation tools are constructed with the highest quality craftsmanship and materials for long-term dependability. Powder-coat finishes in your choice of tractor red, green, blue or orange resist corrosion and keep the implements looking as professional as your finished work.

5-BAR SPIKE-TOOTH LEVELER

The Freedom 5-bar spike-tooth leveler breaks up clods and levels the soil to create a welcoming growing environment for sod and/or grass seed.

- ¼" x 4" angle iron leveling bars
- Heavy-duty, drop-forged steel, ¾" x 11" diamond-shaped teeth attached with U-clamps for easy adjustment and maintenance
- Offset, staggered tooth placement for overall implement positioning of one tooth every two inches
- Category I floating hitch for uniform soil contact; can be converted to rigid hitch for additional rear downforce
- Available in working widths of 5' or 6'
- Horsepower requirement of 5 hp per foot of width
- Optional leveling basket for additional finishing includes deflector shield



SOIL RIPPER

Nothing spoils the look of a manicured landscape worse than thin, yellowed patches of grass caused by subsoil compaction. These unsightly spots are easily prevented with the Freedom soil ripper. The breaking up of compacted soil allows grass and other plant roots to move freely into the subsoil for enhanced growth.

- Special-alloy steel, ¾"-thick angled shanks
- Easy-to-replace raised points
- Available wearbar kit for longer life
- Operating depth up to 18 inches
- Shear bolt-protected
- 4"x4" steel tube frame with parking stands
- Available in 1-shank model with combination category I/II hitch; 2-shank models with category II hitch
- 1-shank cable-layer available for easy installation of cable, lines, pipes or other subsurface conduit
- Cable-layer model can be equipped with optional wire spool or wire bundle holder
- Horsepower requirement of 25-35 hp per shank



Std.



Opt.

SEEDBED FINISHER

For final seedbed preparation, look to the Freedom seedbed finisher.

- Heavy-duty, 4-bar rigid frame
- Three rows of staggered S-tines, with 6" overall spacing, fitted with 2¼" shovels
- Optional heavy-duty edge-bent S-tines with 7" sweeps
- Working depth of up to six inches
- Category I hitch
- Available in 4', 5', 6', 7' and 8' models
- Horsepower requirement of 3-6 hp per foot
- Optional leveling rake and soil finishing basket

DISK

When surface conditions are so rutted that only a disk can get it into shape for final finishing, look to the Freedom disk.

- Both front and rear gangs, or one of each, can be fitted with 18-inch notched blades for aggressive penetration and tillage or 18-inch conventional blades for finishing, smoothing and firming.
- 1½" gang bolts
- 7½" disc blade spacings with offset gangs for effective cutting every 3¾"
- Cutting angle of front gang can be set to 0°, 7°, 14°, 18° or 21°.
- Rear gang settings of 7°, 14°, 18° or 21°
- 2½"-square steel tube frame with 3" x 2" disc gang tube frames
- Category I hitch
- Available working widths of 62" and 76"
- Optional leveling rake, soil finishing basket, weight tray and blade scrapers
- Horsepower requirement of 5 to 6 hp per foot of width



QUICK-HITCH

Look to the Freedom Quick-Hitch attachment for optimum productivity.

- Converts your tractor's 3-point hitch to a Category I Quick-Hitch
- Efficient one-person hookup
- Flip-over handles lock the implement into place



LANDSCAPE RAKE

The Freedom landscape rake is the perfect tool for cleaning and preparing a site for seeding and for general maintenance around farms, parks and beaches.

- Tool-free angle adjustability
- Six tool-free angle settings
- Replaceable, ½" spring-steel tines
- 5', 6', 7' and 8' working widths
- Category I hitch
- Optional parking stand
- Optional flip-up blade for additional smoothing and leveling
- Height-adjustable, pivoting gauge wheels for greater depth and overall control

TRACTOR BLADE

The Freedom tractor blade is ideal for soil smoothing and light road grading.

- Heavy-duty steel construction
- Tool-free angle and tilt adjustability
- Replaceable blade edge
- Category I hitch
- Available in working widths of 5', 6' and 7'
- Optional endplates available for quick conversion to a box scraper
- Optional skid-shoe package for grading performance
- Optional gauge wheel for depth control
- Hydraulic package option to adjust gauge wheel or blade tilt
- Hydraulically adjustable angle package accessory
- Optional parking stand



ROLLING BASKET AND LEVELING RAKE ADD-ON

For additional seedbed leveling and firming, look to the optional rolling basket and leveling rake which can be added to the Freedom disk and seedbed finisher. A rolling basket with shield can also be added to the 5-bar spike-tooth leveler. The heavy-duty leveling rake breaks up clods and levels the soil surface. The rolling basket firms and smooths the soil for an ideal planting environment.

- 12"-diameter baskets with eight, scalloped and angled high-carbon steel blades and 1" solid-steel center shaft
- Universal mounting arms
- Spike-tooth leveling rake helps break dirt clods and smooth the surface.
- Spring-tension downforce on leveling rake is easily adjusted.



BOX SCRAPER

There's no easier, faster or more economical way to move, level and smooth soil than with the Freedom box scraper.

- 4"x 4" steel tube frame with welded-steel construction
- Dual blades for pushing or pulling
- Double-edged blades are replaceable
- Category I hitch
- Optional, height-adjustable, forged scarifier shanks with replaceable points set on 12-inch spacings for loosening tightly crusted ground ahead of the blade.
- Available in 4', 5', 5½', 6' and 7' widths

SCARIFIER

The Freedom scarifier makes it easy to remedy a tightly crusted or compacted soil surface in advance of sod laying or seeding.

- 4"x 4" steel tube frame
- 4', 5', or 6' working widths
- Replaceable, heavy-duty forged shanks with replaceable steel points set on 12" spacings
- Set to any one of four working depths for desired level of finish.
- Category I hitch
- Standard rear 3-point hitch allows easy attachment of other Freedom site preparation tools, such as the land leveler, for single-pass finishing.



LAND LEVELER

The Freedom land leveler will smooth, pulverize and level the soil surface to create the most receptive seedbed possible. Also works well to groom driveways, pathways and athletic fields.

- Steel tube frame with welded-steel construction
- Cross-bracing for added durability
- Front blade knocks down ridges and channels material to rear
- Rear angles spread materials out
- Rear blade fills and smooths the surface
- Replaceable wear blade option for greater durability
- Category I hitch
- 6' working width

**FOR THE NAME OF YOUR NEAREST
FREEDOM PRODUCTS DEALER,
CALL 1-888-470-2244,
OR VISIT OUR WEB SITE AT
WWW.TOWNCOUNTRYLTD.COM.**

Town & Country, Ltd[®] is a business unit of Unverferth Manufacturing Company, Inc., a leading family owned manufacturer and marketer of agricultural specialty wheels, tillage implements and grain transportation vehicles since 1948.



TOWN & COUNTRY, LTD.[®]

A business unit of Unverferth Mfg. Co., Inc.

P.O. Box 357 Kalida, OH 45853

419-532-3553 419-532-2468 Fax

towncountryltd.com

Due to continuing improvements in the design and manufacture of Freedom site preparation products, all specifications contained herein are subject to change without notice.



©2004
Printed in U.S.A.

®™ Trademarks, registered or applied for, of Unverferth Manufacturing Co., Inc., Kalida, Ohio
Additional facilities in California, Georgia, Iowa, Nebraska, North Dakota, Oregon and Canada

FSPT400201025M2